date SDF projectname SF attn FSA from FSA fax email phone SDF



## **U776 Series**Surface Mounted Shelf

	JOB #:
	ITEM #:
	QUANTITY:

Revision 07/11

MOUNTING				
	HANDING	TYPE SIZ	E	OTHER
1			ı	6"
	L			152mm
	e	£	1/2	,
	os	ွs	13m	m
				95mm
	S	S		
PECIFICATIONS			INSTALLATIO	N
2" with front edges turn	18 ga stainless steel. All ed down & back 1/2" for	maximum strength and	Provide an area	on wall surface at desired or specified location. Planaking sure unit is level. Transfer mounting points
gidity. All corners are de	burred and polished smo	ooth for safety.	to surface and	drill pilot holes. Secure shelf to surface with proper
endente. Cobringtod of	#16 as stainless staal as		fasteners per ea	ach application
rackets: Fabricated of elf with exposed moun	#16 ga stainless steel pe ting points. Brackets are		fasteners per ea	ach application.
nterline.			fasteners per ea	ach application.
nterline.			fasteners per ea	ach application.
nterline.			fasteners per ea	ach application.
nterline.			fasteners per ea	ach application.
nterline.			fasteners per ea	ach application.
nterline.			fasteners per ea	ach application.
nterline.			fasteners per ea	ach application.
nterline.			fasteners per ea	ach application.
nterline.			fasteners per ea	ach application.
nterline.			fasteners per ea	ach application.
nterline.			notes	ach application.
nterline.			fasteners per ea	ach application.
rackets: Fabricated of elf with exposed moun enterline.  urface mounted shelf			fasteners per ea	ach application.
nterline.			fasteners per ea	ach application.



## **U778 Series**Surface Mounted Shelf

	JOB #:
	ITEM #:
	QUANTITY:

Revision 07/11

MOUNTING	HANDING	TYPE	SIZE	OTHER
	L -	⊙S ⊙S		8"
SPECIFICATIONS  Shelves: Fabricated of #1: 1/2" with front edges turner rigidity. All corners are deb Brackets: Fabricated of #: shelf with exposed mounting centerline.	d down & back 1/2" for murred and polished smoo	aximum strength a the for safety.	unit up to wall to surface and	ea on wall surface at desired or specified location. Place making sure unit is level. Transfer mounting points defill pilot holes. Secure shelf to surface with proper each application.
Surface mounted shelf 8	"D. (203mm)			
			NOTES	