

## U720-1830

Medicine Cabinet

JOB #: ITEM #:

Revision 02/12

QUANTITY:

MOUNTING	HANDING	TYPE	SIZE	OTHER	
4	18" 157 mm 15 1/4" 387 mm	7/8"	4 7/8" 124 mm  + s ==================================	47/8" 124 mm  Hended Mounting Height  **Samuel State   State	2 7/8" 73 mm
			REC.	-SM	-\$2

## **SPECIFICATIONS**

Cabinet Body: Fabricated of #22 ga stainless steel formed for rigidity. Embossed louvers in body allow shelving to be adjustable. Flange surrounds cabinet body that has 1/4" returns to wall. (No miters or welds)

Cabinet Back: Stainless steel secured to cabinet body with multiple welds to cabinet body.

Mirror Door: 1/4" thick float plate glass, silver coated and sealed with a uniform coating of electrolytic copper plating. Mirror is guaranteed against silver spoilage for a period of 15 years. Non-absorbent filler behind mirror acts as a shock absorber.

Channel Frame: #22 ga stainless steel #4 satin finish.

Adjustable Shelving: Three (3) #22 ga stainless steel with #4 satin

Catch: Heavy duty magnetic catch.

Hinges: Full length, heavy duty stainless steel piano type

Collars: #22 ga stainless steel with #4 satin, one piece construction,

finished to match cabinet body. Overall Size: 18"W x 30"H x 4 7/8"D

457mm x 762mm x 124mm Wall Opening: 15 3/4"W x 25 7/8"H x 4"D

400mm x 657mm x 102mm

U720-1830-S2: 2" semi-recessed collar, 2" wall opening

U720-1830-SM: Full surface mounted collar

## **INSTALLATION**

Coordinate installation with architect and contractor. Provide a wall opening 15 3/4"W x 25 7/8"H. Depth will depend on style mounting. Insert cabinet into opening making sure cabinet is level and door will remain open until you manually close it. Secure cabinet with proper fasteners per application. Unit can be mounted to have a right hand or left hand swing door. Collars can be added in the field to accommodate semi-recessing or full surface mounting.

To comply with ADA code, one usable shelf must be mounted no higher than 44" above finished floor. (4.2.4)

## **NOTES**

Formerly Model #: U720