

date  
projectname  
attn  
from  
fax  
email  
phone

05APR 19  
El Dorado College Prep  
Waltz Construction  
Inter-Co  
  
bclay@inter-co.com  
6233986295





**N102-1N Series**  
 Markerboard, Particleboard Core,  
 Flat Trim, Box Tray, 1" Maprail,  
 Natural Cork

Job #:

Item #:

Quantity #:



Standard Widths: 4', 6', 8', 10', 12', 14', 16'  
 Standard Height: 4'

Custom Dimensions available on request

All boards sized Height x Width

Drawing is for assembly description only.  
 Components are not to scale for clarity purposes.

- Facesheet:** 24 GA. Porcelain Enameled Steel - Medium Gloss.
- Core:** 1/2" Particleboard.
- Backsheet:** Aluminum Foil.
- Trim:** 3/4" Flat Trim - Anodized Aluminum.
- Tray:** Box Tray - Anodized Aluminum.
- Maprail:** 1" - Anodized Aluminum.
- Tackable Maprail Insert:** 1/4" Natural Cork.
- Accessories:** (2) Map Hooks per 48" of Map Rail. (1) Flag holder per board.
- All aluminum extrusions have a minimum thickness of 0.062"




**N21B-1B Series**  
 Tackboard, Hardboard Core, Box Trim,  
 No Tray, 1" Maprail, Type II Vinyl

Job #:

Item #:

Quantity #:



Standard Widths: 4', 6', 8', 10', 12', 14', 16'      Standard Height: 4'

Custom Dimensions available on request

All boards sized Height x Width

Drawing is for assembly description only.  
 Components are not to scale for clarity purposes.

- Core Backing:** 1/4" Hardboard.
- Tackable Surface:** Vinyl-Type II on 1/4" Natural Cork.
- Trim:** 1 1/2" Box Trim - Anodized Aluminum.
- Tray:** None.
- Maprail:** 1" - Anodized Aluminum.
- Tackable Maprail Insert:** Vinyl-Type II on 1/4" Natural Cork.

• All aluminum extrusions have a minimum thickness of 0.062"